



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

April 28, 2017

James McFadden, Ph.D  
Central Garden & Pet Company  
1501 E. Woodfield Road, Suite 200W  
Schaumburg, IL 60173

Subject: Label Amendment – Add Already Approved Uses  
Product Name: PRENTOX FOG AND MILL SPRAY  
EPA Registration Number: 89459-38  
Application Date: February 17, 2017  
Decision Number: 526883

Dear Dr. McFadden:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2  
EPA Reg. No. 89549-38  
Decision No. 526883

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Maggie Rudick by phone at 703-347-0257, or via email at [rudick.maggie@epa.gov](mailto:rudick.maggie@epa.gov).

Sincerely,

A handwritten signature in blue ink, appearing to read "Gene Benbow".

Gene Benbow, Acting Product Manager 4  
Invertebrate & Vertebrate Branch 1  
Registration Division (7505P)  
Office of Pesticide Programs

[FRONT PANEL]


# PRENTOX<sup>®</sup> FOG and MILL SPRAY

**ACTIVE INGREDIENTS:**

Piperonyl Butoxide\* 1.5%  
Pyrethrins 0.3%

**OTHER INGREDIENTS\*\*:**

TOTAL 98.2%  
100.0%



\*(butylcarbityl)(6 propylpiperonyl) ether and related compounds

\*\*Contains Petroleum Distillates

PRENTOX<sup>®</sup> is a Registered Trademark of Central Garden & Pet

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

SEE BACK/SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

EPA Reg. No. 89459-38

EPA Est. No.

Net Contents \_\_\_\_\_

Batch/Lot No. \_\_\_\_\_

Manufactured by/for

Central Garden & Pet Company

1501 E. Woodfield Rd., Suite 200 West

Schaumburg, IL 60173

[BACK/SIDE PANEL]

<b>FIRST AID</b>	
If swallowed	Immediately call a Poison Control Center or physician Do not induce vomiting unless told to do so by the Poison Control Center or physician Do not give <b>any</b> liquid to the person Do not give anything by mouth to an unconscious or convulsing person
Have the product container or label with you when calling a poison control center or doctor or going for treatment You may contact 1 800 222 1222 for emergency medical treatment information You may also contact the National Pesticide Telecommunication Network at 1 800 858 7378 for information including health concerns medical emergencies or pesticide incidents	
NOTE TO PHYSICIAN Contains petroleum distillate -vomiting may cause aspiration pneumonia	

## **PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION.** Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### **Personal Protective Equipment (PPE)**

Mixers loaders applicators and other handler must wear the following:

- long-sleeved shirt
- long pants
- shoes and socks

In addition to the above PPE, applicators using high pressure hand wand in an enclosed area must wear at least a NIOSH approved respiration with a dust/mist filter with a particulate respirator with any N, R, or P filter with NIOSH approval number prefix TC-84A. .

In addition to the above PPE, applicators using hand held foggers in an enclosed area must wear:

- A particulate respirator with any N, R or P filter with NIOSH approval prefix TC-84A, or
- A NIOSH-approved gas mask with a canister filter with NIOSH approval prefix TC-14G, or
- A NIOSH approved powered air purifying respirator with HE filter with NIOSH approval number prefix TC-21C.

### **User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry

Discard clothing and other absorbent material that have been drenched or heavily contaminated with this product. Do not reuse them

### **User Safety Recommendations**

User should wash hands before eating drinking chewing gum using tobacco or using the toilet.

User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

## **ENVIRONMENTAL HAZARDS FOR TERRESTRIAL APPLICATIONS**

This product is toxic to aquatic organisms including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area

Except as specified in the directions for use do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

## **ENVIRONMENTAL HAZARDS FOR WIDE AREA MOSQUITO ADULTICIDE APPLICATIONS**

This pesticide is toxic to aquatic organisms including fish and invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates

When applying as a wide area mosquito adulticide, before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply when bees are foraging the treatment area except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito borne disease in animal or human populations or if specifically approved by the state or tribe during a natural disaster recovery effort.

When applying as a wide area mosquito adulticide, do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries) except when necessary to target areas where adult mosquitoes are present and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body.

(For containers equal to or greater than 5 gallons) Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### **Use Restrictions**

Read all directions and cautions before using this product. Apply only as specified on this label.

Remove or cover exposed food and drinking water before application.

Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use. Remove pets and birds and cover fish aquariums before spraying.

Do not make space spray applications in food handling or processing facilities when the facilities are in operation. Cover or remove food. Cover food processing surfaces or clean after treatment and before use.

Indoor metered release device. Not for use in Residential areas. Do not use in nurseries or rooms where infants, ill or aged persons are confined. Do not place metering device directly over or within 8 feet of exposed food, dishes, utensils, food processing equipment and food handling or preparation. Do not install within 3 feet of air vents. Carefully follow direction for dispenser unit when installing the dispenser and replacing cans or conducting maintenance. The maximum application rate for metered release devices is 0.00046 lb pyrethrin per 1000 cubic feet, or a maximum of 3 fl. oz. per 1000 cubic feet..

Do not apply directly into sewers or drains or to any area like a gutter where drainage to storm sewers, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Except when applying as a mosquito adulticide, do not enter or allow others to enter until sprays have dried and vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated.

Except when applying as a mosquito adulticide, do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

After space spraying, do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors and/or mists have dispersed.

When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Not for use in outdoor residential mosquito misting systems.

For surface treatment of stored grain and seed: Do not reapply within 30 days.

Do not make applications during rain.

Do not wet plants to point of runoff or drip.

Do not water the treated area to the point of runoff.

When used according to directions, Prentox Fog and Mill Spray is a ready to use insecticide for application as a thermal fog space spray and surface spray in residences, institutions, public buildings, hospitals, hotels, restaurants, stores, theaters, food processing plants, bakeries, grain mills, dairies, breweries, bottling plants, warehouses, trucks and other type of situations where a pyrethrum type insecticide is required to kill the accessible exposed stages of flies, fruit flies, mosquitoes, silverfish, roaches, ants, crickets, gnats, spiders, wasps, hornets, small flying moths, bedbugs, clover mites, cheese mites, scorpions, granary weevils, rice weevils, grin beetles, spider beetles, Cigarette beetles, Drugstore beetles, carpet beetles, flour beetles, meal worms, grain mites, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, cheese skippers, confused flour beetles and saw toothed grain beetles.

This ready-to-use concentrate may be dispersed through mechanical, thermal or compressed air fogging or spraying equipment. If used in food areas of meat, poultry, shell egg grading and egg product plants, this product must be dispersed as an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

## INDOORS

**Thermal-Fogging and Space Spraying:** For use in aerosol generators to kill exposed stages of House Flies, Stable Flies, Blow Flies, Fruit Flies, Mosquitoes, Small Flying Moths, Fleas, Gnats, Wasps, Hornets, Boxelder Bugs, Bran Bugs, Earwigs, Ants, Ham & Cheese Mites, Cheese Skippers, Clover Mites, Flour Beetles, Foreign Grain Beetles, Granary Weevils, Rice Weevils, Confused Flour Beetles, Saw-Toothed Grain Beetles, Spider Beetles, Cigarette Beetles, Drugstore Beetles, Angoumois Grain Moths, Chocolate Moths, Mediterranean Flour Moths, Indian Meal Moths, Tobacco Moths, Mealworms, Grain Mites & Cadelles.

Apply with equipment designed and adjusted to deliver a true aerosol mist. Close windows and doors and shut off ventilating systems. Extinguish all open flames and pilot lights. Apply at the rate of no more than 2 ounces per 1000 cu ft of space. Direct the spray towards the ceiling and upper comers of the area and behind obstructions. Keep the area closed for at least 15 minutes and thoroughly ventilate before reoccupying.

Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this use.

**Contact and Surface Spray.** To kill roaches, silverfish, crickets, spiders, clover mites, scorpions, cheese mites, cheese skippers, spider beetles: Use a mechanical aerosol generator or a fogger adjusted to deliver a coarse droplet. First, apply as a spot & crack & crevice treatment at no more than 1 gallon / 750 sq. ft. of surface area. Direct the spray into all cracks and crevices, behind all equipment, cupboards, obstructions or dark harborage areas, walls, floors, underneath sinks, behind pipes and in all places that harbor insects to provide maximum penetration and impingement on the insects. Contact as many insects as possible. Then treat as a space spray. Apply at a rate of no more than 2.0 fluid ounce / 1000 cu. ft. of space. Close off and vacate treated areas for at least 30 minutes and thoroughly ventilate before reoccupying. Do not apply more than 1 time per day.

When treating for accessible stored product insects in homes, destroy all infested products. The shelves and doors should be cleaned thoroughly sprayed so as to contact all pests and covered with shelf paper after allowing shelves to dry. When this product is used in warehouses, granaries, mills, elevators and food storage situations to kill accessible stages of those pests listed, apply liberally around and under pallets so as to directly contact the pests with spray.

Ants: Treat shelves, cabinets and storage areas. Spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally.

Bedbugs: Apply liberally to top ends, sides and bottoms of mattresses. Spray thoroughly all tufts, seams and folds. Spray springs, mattresses, box springs and frames. Direct liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets, bedroom furniture, picture frames with particular attention to protected bedbug hiding and breeding places, including all cracks and crevices about the bedroom. Adequate control can only be obtained by repeated applications and direct contact of bedbugs with the spray. Repeat applications as necessary to maintain control.

Carpet Beetles: Apply to floor areas and baseboards. Spray directly into cracks, crevices and under carpets where insects may be found. Treat both the underside and top side of infested carpet. Spray inside of trunks, closets and infested areas of shelving. Repeat application as necessary.

Wasps: Application should be made in late evening when insects are at rest. Spray into hiding and breeding places, contacting as many insects as possible.

**Applications in Food Handling Establishments:** A food handling establishment is an area or place other than a private residence in which food is held, processed, prepared, and/or served. Auditoriums, bakeries, beverage plants, bottling plants, breweries, buildings, cafeterias, canneries, coffee warehouses and processing plants, concession stands, dairies, day care centers\*, delicatessens, department stores, diners, dumpsters, egg processing plants, factories, feed mills, flour mills, food processing and storage facilities, freight containers, fruit packing sheds, grain elevators, grain harvesting & handling equipment, garages, grain mills, granaries, grocery stores, horse barns, hospitals\*, hotels, indoor eating establishments, locker rooms, meat packing plants, milk rooms, motels, nursing homes\*, office buildings, public buildings, peanut warehouses & processing plants, restaurants, retail stores, rice mills, schools\*, ship's holds, sports stadiums, stables, storage bins (areas), stored food in multi-walled paper or cloth bags, supermarkets, theaters, tobacco factories & warehouses, trains, warehouses & wineries.

\*Use sites not approved for automatic space spray systems.

**Stored Grain and Flour Pests.** Prentox Fog and Mill Spray is useful in mills, elevators, granaries, warehouses, food storages and other situations to kill exposed stages of those insects listed under fog and space spray directions. Apply as a coarse droplet spray at 1 gallon per 750 sq. ft., paying particular attention to treatment of cracks and crevices in floors and walls.

To kill exposed accessible stages of Indian meal moth and Angoumois grain moth in stored grain: Apply to the surface of the binned grain at a rate of 2 gallons per 1000 square feet (1.6 pints per 1100 square feet). Apply at monthly intervals beginning with the first appearance of moths and continue until early fall. In case of severe infestation, break up webbing with rake before spraying and make a second application in two weeks.

**Treatment of Food Stored in Bags:** To kill accessible adult stages of Angoumois Grain Moths, Cadelles, Cheese Mites, Chocolate Moths, Cigarette Beetles, Cockroaches, Four Beetles, Flies, Fruit Flies, Gnats, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Saw-Toothed Grain Beetles, Silverfish, Foreign Grain Beetles, and other listed pests, apply as a space spray at a rate of 1.5 ounce /1000 cu. ft. of space. Fumigate or destroy infested stored products or treat by other effective methods using an approved product intended for this purpose. Direct application to food contact surfaces is prohibited.

**Application to Bulk Post-Harvest Vegetables** (Potato, Tomato, Pea, Sweet Potato), Fruits (Apple, Blackberry, Blueberry, Boysenberry, Cherry, Crabapple, Currant, Dewberry, Fig, Gooseberry, Grape, Guava, Loganberry, Mango, Muskmelon, Orange, Peach, Pear, Pineapple, Plum, Raspberry), Nuts (Almonds, Walnuts) and other Commodities (Copra and Peanut):

To kill accessible stages of Angoumois Grain Moths, Cadelles, Cheese Mites, Chocolate Moths, Cigarette Beetles, Cockroaches, Flour Beetles, Flies, Fruit Flies, Gnats, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Saw-Toothed Grain Beetles, Silverfish, Foreign Grain Beetles and other listed insects. Apply as a surface application at a rate of 15.0 ounces /1000 sq. ft. Also spray walls, floors and other surfaces, storage and handling areas thoroughly, being especially careful to treat cracks, crevices and similar hiding places. Or apply as a space spray at a rate of not more than ounce /1000 cu. ft. of space by directing the spray toward the ceiling and upper corners of the area and behind any obstructions. Do not reapply within 7 days. Do not apply more than 10 times to sweet potatoes. Do not apply both surface and space sprays within the same 7-day period.

**In Mills, Elevators, and Granaries:** Spray floors, walls, and other surfaces of bins storage and handling area thoroughly with particular attention to cracks and crevices and similar protected locations. Apply as a coarse droplet spray using 1 gallon per 750 sq. ft. of surface. Waste grain dust, dirt and debris should be removed and destroyed and storage areas cleaned before spraying. Treat unloading, handling and processing areas and apply the insecticide to conveying processing and handling equipment, the inside of reel sifter purifier conveyors, sifters, roll housings and hoppers, pickup conveyors etc. Spray thoroughly around the base of heavy machinery and equipment beds, boxcars and ship's holds before loading.

**For Treatment of Floors and Bins.** Prentox Fog and Mill Spray is effective against those insects listed under fog and space spray directions when used in a good sprayer adjusted to deliver a coarse droplet spray using approximately 1 gallon per 750 sq. ft. of surface.

**In Barns, Milking Parlors, Milkrooms and Dairies:** To kill flies, mosquitoes and gnats, apply as a fog or fine mist, directing spray towards ceiling and upper corners until area is filled with mist using about 2 ounces per 1000 cu. Ft. of space. For best results, close doors and windows before spraying and keep them closed for 10 to 15 minutes. Vacate the area and ventilate before reoccupying. When treating for insects indoors, sweep up and destroy all fallen insects following application.

**For In-Transit Protection:** Treat truck. Also treat warehouses and food product storages. Apply to exposed surfaces as recommended above and spray cracks crevices, recesses, hiding and breeding areas. Fully treat walls, floors, shelves and other exposed surfaces and lightly spray each layer of cartons or containers as stacked. Apply as a coarse droplet spray using 1 gallon per 750 sq. ft. of surface.

**Indoor Misting Systems Used in Commercial Barns, Stables and Animals Quarters.** Do not apply when food, feed and/or water is present. When using this product, installers and service technicians must comply with the license certification or registration requirements of the state(s) tribe(s) or local authority(ies) where they are installed.

When applying via a remote activation device, do not apply when people and pets are present. If possible, when applying via automatic timer set the timing for application when people and pets are unlikely to be present.

Direct nozzles to spray towards the target area and away from areas where people are typically present.

Do not use in an evaporative cooling system.

Do not use in misters located within 3 feet of air vents, air conditioner unit or windows.

If used in a system with a reservoir tank for the end use dilution, the system reservoir tank must be locked.

Securely attach the end use pesticide label and a dilution statement to the system reservoir tank in a weather protected area or plastic sleeve.

If used in a direct injection system, the pesticide container must be locked. Securely attach the end use label to the pesticide container in a weather protected area or plastic sleeve.

The product must only be used in systems that have been calibrated to apply no more than the maximum application rate of 0.000476 lb pyrethrins and 0.008 lb piperonyl butoxide per 1000 cu. ft. per day. This is equivalent to 3 oz of Prentox Fog and Mill Spray per 1000 cu. ft. per day.

## OUTDOORS

### Outdoor Metered Release Devices.

Directions for use in outdoor metered release devices:

If the device works on an automatic timer, set the timing for application when people, pets and/or food are unlikely to be present.

If the device works when a person operates a remote activation device, then application of this pesticide when people, pets, and/or food are present is prohibited. ,

Direct nozzle to spray towards the target area and away from areas where people are typically present. The pesticide container must be locked.

Do not install within 3 feet of air vents, air conditioner units or windows.

Carefully follow directions for the dispenser unit when installing the dispenser and replacing cans or conducting maintenance.

**Mosquito Control.** For use by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications or by persons under their direct supervision.

Apply only when wind speed is greater than or equal to 1 mph.

To control adult mosquitoes using ground application, apply as a fine mist or fog at the rate of ½ gal. per acre.

Shrubbery and vegetation around stagnant pools, marshy areas, ponds and shorelines may be treated. Application of this product to any body of water is prohibited when used as an adult mosquitocide. Repeat once or twice a week. With mobile or truck-mounted equipment, the above application rate will result if a 400 foot swath is treated traveling at 5 mph dispensing spray at a rate of 125 gallons per hour. To control mosquito larvae, dilute in oil at a rate of 1 part Prentox Fog and Mill Spray to 50 parts oil (5 pints in 16 gals.) and apply at a rate of 20-25 gals. per acre. Apply as a coarse wet spray only to the border or in shallow water of wetlands, swamps and marshes where mosquito larvae are known to breed. Do not exceed this dosage or fish kill may result.

The maximum application rate for wide area mosquito adulticide applications is 0.0025 lbs. pyrethrin/acre or 0.025 lbs. piperonyl butoxide/acre, whichever is lower. When targeting *Aedes Taeniorynchus* and other difficult species, applications may be made up to 0.008 lbs. pyrethrins/acre/day or 0.08 lbs. piperonyl butoxide/acre/day, whichever is lower. Do not apply more than 0.2 lbs. pyrethrin/acre/year or 2.0 lbs. piperonyl butoxide/acre/year, whichever is lower in any treated area. More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito borne disease in animal or human populations or if specifically approved by the state or tribe during a natural disaster recovery effort.

Ground Based Applications. Spray equipment must be adjusted so that the volume median diameter is less than 30 microns ( $Dv\ 0.5 < 30\ \mu m$ ) and that 90% of the spray is contained in droplets smaller than 50 microns ( $Dv\ 0.9 < 50\ \mu m$ ). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

## STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage.** Store product in its original container in a cool, dry place away from heat or open flame in an area that is inaccessible to children and animals. Avoid exposure to extreme temperatures. If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below.

**Pesticide Disposal.** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Handling.** {Container labels that do NOT include dilutable use instructions} Non refillable container. Do not reuse or refill this container. Offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities

{Containers that DO include dilutable use instructions} Non refillable container. Do not reuse or refill this container. Clean container promptly after emptying. {Container 5 gallons or less} Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4<sup>th</sup> full with solvent used to dilute product and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

{For containers greater than 5 gallons} Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4<sup>th</sup> full with solvent used to dilute the product. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling, if available, or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Notice: To the extent consistent with applicable law seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.